OM nucleic - nucleic search, using sw model

Run on: April 16, 2004, 05:43:00 ; Search time 4542.67 Seconds

> (without alignments) encodes SEO:1

10485.907 Million cell updates/sec

US-08-737-319-4 DNA databases in Title:

Perfect score: 1099

Sequence:

Scoring table: IDENTITY NUC

Gapop 10.0 , Gapext 1.0

3470272 segs, 21671516995 residues Searched:

Total number of hits satisfying chosen parameters: 6940544

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : GenEmbl:\*

1: gb ba:\*

2: gb htg:\*

3: gb in:\*

4: gb om:\*

5: qb ov:\*

6: gb pat:\*

7: gb ph:\*

8: gb pl:\*

9: gb pr:\*

10: gb ro:\*

11: gb sts:\*

12: gb sy:\*

13: gb un:\*

14: gb\_vi:\*

15: em ba:\*

16:

em fun:\*

17: em hum:\*

18: em in:\*

19: em mu:\*

20: em om:\*

em or:\* 21:

22: em ov:\*

23: em pat:\*

24: em\_ph:\*

25: em pl:\*

26: em ro:\*

27: em sts:\*

oxact DNA SEO4

```
28: em_un:*
29: em_vi:*
30: em_htg_hum:*
31: em_htg_inv:*
32: em_htg_other:*
33: em_htg_mus:*
34: em_htg_pln:*
35: em_htg_rod:*
36: em_htg_rod:*
37: em_htg_vrt:*
38: em_sy:*
39: em_htgo_hum:*
40: em_htgo_mus:*
41: em_htgo_other:*
```

કુ

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

Result No.	Score	Query Match	Length	DB	ID	Description
1 2 3 4 5	1099 1099 1084 1071.6	100.0 100.0 98.6 97.5	1165	6 6 8 6	A63895 <b>60 97/23633</b>	E12045 cDNA encodi BD014674 Method of AB019035 Xanthophy A63895 Sequence 20
5 6 7	1071.6 556.2	97.5 50.6	1165 3239	6 8	AR366158 USPÁ 6329(4) PRY15811	AR366158 Sequence Y15811 Xanthophyll
8 9	161.8 128 126.2	14.7 11.6	1017 990	8	AF479816 BT009297	AF479816 Aspergill BT009297 Triticum
10 11	126.2 125 125	11.5	931 1002	8	SPU21154 AR428557	U21154 Schizosacch AR428557 Sequence
12 13	125 125 124.2	11.4 11.4 11.3	1002 1002 1270	6 8 6	BD223741 AF188061	BD223741 Genes of AF188061 Adonis pa
14 15	124.2	11.3	1270 1270 1271	8 6	AR428558 AF188060 BD223742	AR428558 Sequence AF188060 Adonis pa BD223742 Genes of
16 17	123.8 123.2	11.3 11.2	1207 1095	8	CBIPISOM AF330034	X82627 C.breweri m AF330034 Zea mays
18 19	121.6	11.1	600 1031	8 6	AY290736 AR428564	AY290736 Triticum AR428564 Sequence
20 21	121.4	11.0	1031 1031	6 8	BD223748 AF188065	BD223748 Genes of AF188065 Oryza sat
22 23	121.4	11.0	1101 1108	8	AK061800 AK065871	AK061800 Oryza sat AK065871 Oryza sat
24 25	119.6	10.9	1139 1225	8	AF031079 AF483191	AF031079 Camptothe AF483191 Melaleuca
26 27	117.8 117.4	10.7	1028 1063	8	AB041629 AF483190	AB041629 Eucommia AF483190 Melaleuca
28 29	114.8	10.4	985 985	6 6	AR428560 BD223744	AR428560 Sequence BD223744 Genes of
30 31	114.8 114.4	10.4	985 956	8 6	AF188062 AR428563	AF188062 Lactuca s AR428563 Sequence
32 33	114.2 113.2	10.4	1053 956	8	AF236092 AF188064	AF236092 Brassica AF188064 Tagetes e

OM nucleic - nucleic search, using sw model

Run on: April 16, 2004, 05:39:50; Search time 517.385 Seconds

(without alignments)

9023.787 Million cell updates/sec

Title: US-08-737-319-4

Perfect score: 1099

Scoring table: IDENTITY NUC

Gapop 10.0 , Gapext 1.0

Searched: 3373863 seqs, 2124099041 residues

Total number of hits satisfying chosen parameters: 6747726

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database: N\_Geneseq 29Jan04:\*

1: geneseqn1980s:\*

2: geneseqn1990s:\*

3: geneseqn2000s:\*

4: geneseqn2001as:\*

5: geneseqn2001bs:\*

6: geneseqn2002s:\*

7: geneseqn2003as:\*

8: geneseqn2003bs:\*

9: geneseqn2003cs:\*

10: geneseqn2004s:\*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

Result	% Query		, D ± 0	SUMMARIES APP.	realiest 12/22/95
No. Sco		Length	DB	ID	Description
1 10 2 1071 3 202 4 182 5 1 6 139 7 126	.6 97.5 .6 18.4 .2 16.6 79 16.3 .2 12.7	1165	2 2 9 7 7 3 6	AAT40216 60 96/28545 AAT72945 60 77/23633 ADB69660 ABT19254 ABT21074 AAF14664 AAD31019	Aat40216 Sequence Aat72945 Phaffia c Adb69660 C. neofor Abt19254 Aspergill Abt21074 Aspergill Aaf14664 Aspergill Aad31019 Schizosac

OM nucleic - nucleic search, using sw model

Run on: April 16, 2004, 07:53:36; Search time 3328.36 Seconds

(without alignments)

9860.282 Million cell updates/sec

Title: US-08-737-319-4

Perfect score: 1099

Scoring table: IDENTITY NUC

Gapop 10.0 , Gapext 1.0

Searched: 27513289 seqs, 14931090276 residues

Total number of hits satisfying chosen parameters: 55026578

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : EST:\*

1: em estba:\*

2: em esthum:\*

3: em estin:\*

4: em estmu:\*

5: em estov:\*

6: em\_estpl:\*

7: em estro:\*

8: em\_htc:\*

9: gb\_est1:\*

10: gb\_est2:\*

11: gb htc:\*

12: gb est3:\*

13: gb\_est4:\*

14: gb est5:\*

15: em estfun:\*

16: em\_estom:\*

17: em\_gss\_hum:\*

18: em\_gss\_inv:\*

19: em gss pln:\*

20: em gss vrt:\*

21: em\_gss fun:\*

22: em\_gss\_mam:\*

23: em\_gss\_mus:\*

24: em\_gss\_pro:\*

25: em\_gss\_rod:\*

26: em\_gss\_phg:\*

27: em gss vrl:\*

28: gb\_gss1:\* 29: gb\_gss2:\*

용

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

Res	sult		Query				
	No.	Score	Match	Length	DB	ID 	Description
	1	170	15.5	762	14	CF869867	CF869867 tric020xl
	2	170	15.5	817	14	CB900020	CB900020 tric020xl
	3	166.6	15.2	753	14	CF873428	CF873428 tric033xc
	4	166.6	15.2	824	14	CB903168	CB903168 tric033xc
	5	165.6	15.1	988	14	CF883213	CF883213 tric033xc
C	6	158.6	14.4	1051	29	CNS076H2	AL431388 T3 end of
	7	157.8	14.4	969	14	CD456156	CD456156 Fg03 08f1
	8	156.2	14.2	729	13	BX867082	BX867082 BX867082
	9	155.6	14.2	671	14	CA373519	CA373519 647675 NC
	10	143.2	13.0	729	14	CF883402	CF883402 tric088xh
	11	143.2	13.0	789	14	CB909533	CB909533 tric088xh
	12	141	12.8	882	11	CNS09LQ8	BX064236 Single re
	13	141	12.8	1006	11	CNS097QT	BX046113 Single re
	14	141	12.8	1024	11	CNS098Q1	BX047381 Single re
	15	140.8	12.8	1219	14	CD497570	CD497570 CDA28-F04
	16	139.4	12.7	1003	11	CNS09J4Q	BX060870 Single re
	17	139.2	12.7	711	14	CF524263	CF524263 AGENCOURT
	18	139	12.6	864	13	BX721162	BX721162 BX721162
	19	139	12.6	881	13	BX743804	BX743804 BX743804
	20	139	12.6	890	13	BX718091	BX718091 BX718091
	21	138.6	12.6	1051	14	CD507557	CD507557 CDA85-H04
	22	137.2	12.5	836	14	CF592215	CF592215 AGENCOURT
C	23	134.6	12.2	976	11	CNS098Q2	BX047382 Single re
	24	134.4	12.2	748	14	CF996558	CF996558 AGENCOURT
	25	133	12.1	795	11	CNS09EKB	BX054951 Single re
	26	133	12.1	819	11	CNS095N2	BX043386 Single re
	27	131.6	12.0	686	13	CA081651	CA081651 SCAGAM201
С	28	131.4	12.0	918	11	CNS097QU	BX046114 Single re
C	29	131.4	12.0	949	11	CNS09ARG	BX050024 Single re
	30	131.2	11.9	679	14	CD909408	CD909408 G468.112J
	31	131.2	11.9	682	12	BJ317597	BJ317597 BJ317597
	32	131.2	11.9	689	13	BU100341	BU100341 WHE3352_B
	33	131.2	11.9	779	13	BU100364	BU100364 WHE3352_D
	34	131	11.9	777	13	BX853590	BX853590 BX853590
	35	131	11.9	804	13	CA125145	CA125145 SCRFLR101
	36	129.6	11.8	676	12	BG605474	BG605474 WHE2332_C
	37	129.6	11.8	794	13	BQ806442	BQ806442 WHE3579_B
	38	129.4	11.8	680	13	CA066701	CA066701 SCEQAD101
	39	129.2	11.8	624	14	CA732092	CA732092 wlplc.pk0
	40	129.2	11.8	931	14	CD253449	CD253449 AGENCOURT
	41	129	11.7	571	9	AV602890	AV602890 AV602890
	42	128.4	11.7	640	14	CD496124	CD496124 CDA20-E07
C	43	128.2	11.7	646	14	CB059459	CB059459 4008699 B
	44	128	11.6	636	12	BJ223696	BJ223696 BJ223696
	45	128	11.6	717	13	BQ483516	BQ483516 WHE3509_E

OM nucleic - nucleic search, using sw model

Run on: April 16, 2004, 08:14:02; Search time 103.679 Seconds

(without alignments)

5882.479 Million cell updates/sec

Title: US-08-737-319-4

Perfect score: 1099

Scoring table: IDENTITY NUC

Gapop 10.0 , Gapext 1.0

Searched: 682709 seqs, 277475446 residues

Total number of hits satisfying chosen parameters: 1365418

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Issued Patents NA:\*

0.

1: /cgn2 6/ptodata/2/ina/5A COMB.seq:\*

2: /cgn2 6/ptodata/2/ina/5B COMB.seq:\*

3: /cgn2 6/ptodata/2/ina/6A COMB.seq:\*

4: /cgn2 6/ptodata/2/ina/6B COMB.seq:\*

5: /cgn2 6/ptodata/2/ina/PCTUS COMB.seg: \*

6: /cgn2 6/ptodata/2/ina/backfiles1.seg:\*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

Result	Query				USPN 6329141				
No.	Score	Match	Length	DB	ID 7	Description			
1	1071.6	97.5	1165	4	US-09-091-725-20	Sequence 20, Appl			
2	125	11.4	1002	4	US-09-323-998E-28	Sequence 28, Appl			
3	124.2	11.3	1270	4	US-09-323-998E-29	Sequence 29, Appl			
4	121.4	11.0	1031	4	US-09-323-998E-35	Sequence 35, Appl			
5	114.8	10.4	985	4	US-09-323-998E-31	Sequence 31, Appl			
6	114.4	10.4	956	4	US-09-323-998E-34	Sequence 34, Appl			
7	111.6	10.2	1020	3	US-09-201-641-7	Sequence 7, Appli			
8	109.4	10.0	954	1	US-08-624-125-9	Sequence 9, Appli			
9	109.4	10.0	954	4	US-08-937-155-9	Sequence 9, Appli			
10	109.4	10.0	954	4	US-09-323-998E-9	Sequence 9, Appli			
11	109.4	10.0	996	1	US-08-624-125 <b>-</b> 10	Sequence 10, Appl			

OM nucleic - nucleic search, using sw model

April 16, 2004, 07:53:36; Search time 3252.64 Seconds Run on:

(without alignments)

encodes 580:2

9860.282 Million cell updates/sec

Title:

in DNA databases US-08-737-319**(**5**)** 

Perfect score:

1074

Sequence:

Scoring table: IDENTITY NUC

Gapop 10.0 , Gapext 1.0

Searched:

27513289 seqs, 14931090276 residues

Total number of hits satisfying chosen parameters:

55026578

Minimum DB seg length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

EST:\*

1: em estba:\*

2: em esthum:\*

3: em estin:\*

4: em estmu:\*

5: em\_estov:\*
6: em\_estpl:\*

7: em\_estro:\*

8: em htc:\*

9: gb\_est1:\*

10: gb est2:\*

11: qb htc:\*

12: gb est3:\*

13: gb est4:\*

gb est5:\* 14:

15: em estfun:\*

16: em\_estom:\*

17: em\_gss\_hum:\*

18: em gss inv:\*

19: em gss pln:\*

20: em gss vrt:\*

21: em gss fun:\*

22: em gss\_mam:\*

23: em\_gss\_mus:\*

24: em\_gss\_pro:\*

25: em\_gss\_rod:\* 26: em gss phg:\*

27: em gss vrl:\*

orfact DNA SEQ. 5

28: gb\_gss1:\*
29: gb gss2:\*

90.6

45

8.4

413 9 AV424051

AV424051 AV424051

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

#### SUMMARIES

엉 Result Query No. Score Match Length DB ID Description \_\_\_\_\_\_ \_\_\_\_\_ 1 119.8 11.2 988 14 CF883213 CF883213 tric033xc CF873428 117.8 11.0 753 14 CF873428 tric033xc 2 CB903168 tric033xc 117.8 11.0 824 14 CB903168 3 CF883402 tric088xh 115 10.7 729 14 CF883402 4 CB909533 tric088xh 5 115 10.7 789 14 CB909533 14 10.3 762 CF869867 CF869867 tric020xl 6 110.4 110.4 10.3 817 14 108.6 10.1 696 14 108.6 10.1 852 12 CB900020 tric020xl 7 CB900020 CD881481 F1.103F22 CD881481 8 BG418760 HVSMEk002 9 BG418760 108.4 10.1 969 14 CD456156 Fg03 08f1 10 CD456156 BQ483516 WHE3509 E 717 13 11 108 10.1 BQ483516 107.2 10.0 694 14 CB679092 OSJNEf02C 12 CB679092 13 106.4 9.9 782 13 B0802836 BQ802836 WHE2830 E BU987666 HF15G16r 14 104.8 9.8 584 13 BU987666 9.8 636 12 BJ223696 BJ223696 15 104.8 BJ223696 710 14 CB685009 OSJNEf15B 16 104.8 9.8 CB685009 BQ806442 WHE3579 B 9.8 794 13 BQ806442 17 104.8 10 BF254179 HVSMEf000 104.8 9.8 825 BF254179 18 BM816948 HB106H05 9.8 889 12 BM816948 19 104.8 BG605474 WHE2332 C 9.6 676 12 BG605474 20 103.2 BJ317597 BJ317597 103.2 9.6 682 12 BJ317597 21 BU100341 WHE3352 B 22 103.2 9.6 689 13 BU100341 9.6 779 13 BU100364 WHE3352 D 23 BU100364 103.2 1168 14 CK171569 FGAS04688 9.6 CK171569 24 103.2 1193 11 AY104380 Zea mays 25 102.2 9.5 AY104380 679 14 9.5 CD909408 CD909408 G468.112J 26 101.6 9.5 702 10 BF628760 BF628760 HVSMEb000 27 101.6 9.4 627 10 BE444992 BE444992 WHE1130 H 28 100.6 549 13 BU984464 HF04A18r 29 98.8 9.2 BU984464 9.0 659 12 BI955926 HVSMEm002 30 96.4 BI955926 94.8 8.8 676 14 CB092421 CB092421 hf05e09.g 31 624 14 32 94.6 8.8 CA732092 CA732092 wlp1c.pk0 397 14 CB210679 CB210679 OML00959 8.8 33 94.4 708 9 AU094436 34 94.4 8.8 AU094436 AU094436 35 94.2 8.8 516 12 BJ557662 BJ557662 BJ557662 94.2 36 8.8 563 12 BJ563607 BJ563607 BJ563607 37 92.8 8.6 671 14 CA754492 CA754492 BR0400180 38 91 8.5 410 12 BG558356 BG558356 RHIZ2 66 39 91 8.5 579 12 BM868602 BM868602 mgns001xM 90.8 40 8.5 602 14 CB076830 CB076830 hj45c01.q CB076704 hj43d10.g 41 90.8 8.5 655 14 CB076704 747 13 BU100120 WHE3315 D 42 90.8 8.5 BU100120 351 9 AV413323 AV413323 AV413323 43 90.6 8.4 398 9 AV412565 AV412565 44 90.6 8.4 AV412565

OM nucleic - nucleic search, using sw model

Run on: April 16, 2004, 05:43:00; Search time 4439.33 Seconds

(without alignments)

10485.907 Million cell updates/sec

Title: US-08-737-319-5

Perfect score: 1074

Sequence: 

Scoring table: IDENTITY NUC

Gapop 10.0 , Gapext 1.0

3470272 segs, 21671516995 residues Searched:

Total number of hits satisfying chosen parameters: 6940544

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : GenEmbl:\*

1: gb ba:\*

2: gb htg:\*

3: gb in:\*

4: gb om:\*

5: gb ov:\*

6: gb\_pat:\*

7: gb ph:\*

8: gb pl:\*

9: gb pr:\*

10: gb ro:\*

11: gb sts:\*

12: gb sy:\*

13: gb un:\*

gb\_vi:\* 14:

15: em\_ba:\*

16: em fun:\*

17: em hum:\*

18: em in:\*

19: em mu:\*

20: em om:\*

21: em or:\*

22: em ov:\*

23: em pat:\*

24: em\_ph:\*

25: em pl:\*

em\_ro:\* 26:

27: em sts:\*

```
28: em_un:*
29: em_vi:*
30: em_htg_hum:*
31: em_htg_inv:*
32: em_htg_other:*
33: em_htg_mus:*
34: em_htg_pln:*
35: em_htg_rod:*
36: em_htg_mam:*
37: em_htg_vrt:*
38: em_sy:*
39: em_htgo_hum:*
40: em_htgo_mus:*
41: em_htgo_other:*
```

읭

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

	ult	G =	Query	T	DD	TD	
	No.	Score	Match	Length	DB	ID	Description
	1	1074	100.0	1074	6	E12046 JP 1996242861	E12046 cDNA encodi
	2	1074	100.0	1074	6	BD014675 JP 2001 136992	BD014675 Method of
	3	1058	98.51	<b>56</b> 1058	8	AB019034 <b>/997</b>	AB019034 Haematoco
	4	931	86.7	1099	8	AF082326	AF082326 Haematoco
	5	931	86.7	1109	6	AR428559	AR428559 Sequence
	6	931	86.7	1109	6	BD223743	BD223743 Genes of
	7	925.6	86.2	1135	6	AR003639	AR003639 Sequence
	8	925.6	86.2	1135	6	AR428553	AR428553 Sequence
	9	925.6	86.2	1135	6	BD223737	BD223737 Genes of
	10	878	81.8	1150	8	AF082325	AF082325 Haematoco
	11	878	81.8	1165	6	AR003638	AR003638 Sequence
	12	878	81.8	1165	6	AR428552	AR428552 Sequence
	13	878	81.8	1165	6	BD223736	BD223736 Genes of
	14	236.2	22.0	1860	8	AF082869	AF082869 Chlamydom
	15	236.2	22.0	1874	6	AR428562	AR428562 Sequence
	16	236.2	22.0	1874	6	BD223746	BD223746 Genes of
	17	107.2	10.0	1031	6	AR428564	AR428564 Sequence
	18	107.2	10.0	1031	6	BD223748	BD223748 Genes of
	19	107.2	10.0	1031	8	AF188065	AF188065 Oryza sat
	20	107.2	10.0	1101	8	AK061800	AK061800 Oryza sat
	21	107.2	10.0	1108	8	AK065871	AK065871 Oryza sat
	22	106.8	9.9	1017	8	AF479816	AF479816 Aspergill
	23	104.8	9.8	990	8	BT009297	BT009297 Triticum
	24	97.4	9.1	989	8	AK099027	AK099027 Oryza sat
	25	97.4	9.1	1082	8	AK060336	AK060336 Oryza sat
	26	93.6	8.7	1028	8	AB041629	AB041629 Eucommia
	27	91	8.5	412	6	BD272976	BD272976 Materials
	28	90.8		301675	1	AP005027	AP005027 Streptomy
	29	86.8	8.1	1063	8	AF483190	AF483190 Melaleuca
	30	86.2	8.0	1095	8	AF330034	AF330034 Zea mays
	31	85.6	8.0	1139	8	AF031079	AF031079 Camptothe
C	32	85.6		292200	1	SC0939129	AL939129 Streptomy
	33	85.2	7.9	927	3	AY118469	AY118469 Drosophil

OM nucleic - nucleic search, using sw model

Run on: April 16, 2004, 05:39:50; Search time 505.615 Seconds

(without alignments)

9023.787 Million cell updates/sec

Title: US-08-737-319-5

Perfect score: 1074

Scoring table: IDENTITY NUC

Gapop 10.0 , Gapext 1.0

Searched: 3373863 seqs, 2124099041 residues

Total number of hits satisfying chosen parameters: 6747726

Minimum DB seq length: 0

Maximum DB seg length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database: N\_Geneseq\_29Jan04:\*

1: geneseqn1980s:\*

2: geneseqn1990s:\*

3: geneseqn2000s:\*

4: geneseqn2001as:\*

5: genesegn2001bs:\*

6: geneseqn2002s:\*

7: geneseqn2003as:\*

8: geneseqn2003bs:\*

9: geneseqn2003cs:\*

10: geneseqn2004s:\*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

					SUMMAI	RIES		4
D = ] +-		8					Ap	pl.
Result No.		Query Match	Length	DB	ID		<i>†</i>	Description
1	1074	100.0	1134	2	AAT40217	wa 96/28545	/	Aat40217 Sequence
2	931	86.7	1109	3	AAZ45589			Aaz45589 Nucleotid
3	931	86.7	1109	6	ABS71577			Abs71577 H. pluvia
4	925.6	86.2	1135	2	AAT95391			Aat95391 Haematoco
5	925.6	86.2	1135	3	AAZ45583			Aaz45583 cDNA enco
6	925.6	86.2	1135	6	ABS71571			Abs71571 H. pluvia
7	878	81.8	1165	2	AAT95390			Aat 95390 Haematoco

OM nucleic - nucleic search, using sw model

Run on: April 16, 2004, 08:14:02; Search time 101.321 Seconds

(without alignments)

5882.479 Million cell updates/sec

Title: US-08-737-319-5

Perfect score: 1074

Scoring table: IDENTITY NUC

Gapop 10.0 , Gapext 1.0

Searched: 682709 segs, 277475446 residues

Total number of hits satisfying chosen parameters: 1365418

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : Issued Patents NA:\*

1: /cgn2 6/ptodata/2/ina/5A COMB.seq:\*

2: /cgn2 6/ptodata/2/ina/5B COMB.seq:\*

3: /cgn2 6/ptodata/2/ina/6A COMB.seq:\*

4: /cgn2 6/ptodata/2/ina/6B COMB.seq:\*

5: /cgn2\_6/ptodata/2/ina/PCTUS COMB.seq:\*

6: /cgn2 6/ptodata/2/ina/backfiles1.seq:\*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

D 1 +		ğ				
Result	_	Query				
No.	Score	Match	Length	DB	ID	Description
1	931	86.7	1109	 4	US-09-323-998E-30	Sequence 30, Appl
2	925.6	86.2	1135	1	US-08-624-125-12	Sequence 12, Appl
3	925.6	86.2	1135	4	US-08-937-155-12	Sequence 12, Appl
4	925.6	86.2	1135	4	US-09-323-998E-12	Sequence 12, Appl
5	878	81.8	1165	1	US-08-624-125-11	Sequence 11, Appl
6	878	81.8	1165	4	US-08-937-155-11	Sequence 11, Appl
7	878	81.8	1165	4	US-09-323-998E-11	Sequence 11, Appl
8	236.2	22.0	1874	4	US-09-323-998E-33	Sequence 33, Appl
9	107.2	10.0	1031	4	US-09-323-998E-35	Sequence 35, Appl
10	82	7.6	996	.1	US-08-624-125-10	Sequence 10, Appl
11	82	7.6	996	4	US-08-937-155-10	Sequence 10, Appl